PhD. Defense

Weakly Relational Numerical Abstract Domains

Domaines numériques abstraits faiblement relationnels

Antoine Miné

École Normale Supérieure, Paris

Introduction

Main Goal:

- discover properties on the numerical variables of a program,
- statically, at compile-time,
- automatically, without human interaction.

Applications of Numerical Properties:

- Check for illegal arithmetic operations: overflow, division by zero. (Ariane 5 explosion on June the 4-th 1996 \Longrightarrow \$ 500 M loss)
- Check for out-of-bound array or pointer accesses.
- Optimisation, debugging information inference.
- Parameters to non-numerical analyses. (pointer analyses, parametric predicate abstractions, etc.)

Overview

- Formal framework, previous work, motivation for our work.
- New numerical abstract domains: weakly relational domains.
- Improving the precision using generic symbolic manipulation techniques.
- Dealing with floating-point semantics.
- Application within the Astrée analyser and experimental results.

(Simplified) Formal Framework

Language Syntax

For the sake of presentation:

- one data-type: scalars in \mathbb{I} , where $\mathbb{I} \in \{\mathbb{Z}, \mathbb{Q}, \mathbb{R}\}$,
- no procedure,
- a finite, fixed set of variables: V.
- ♦ instructions $\mathcal{I} ::= X \leftarrow \mathcal{E}$ assignment to $X \in \mathcal{V}$ $\mid \mathcal{E} \bowtie 0$? test $\bowtie \in \{=, \leq, \ldots\}$
- interval $a \in \mathbb{I} \cup \{-\infty\}, b \in \mathbb{I} \cup \{+\infty\},\$ variable $X \in \mathcal{V}$ binary operators $\diamond \in \{+, \times, \ldots\}$

<u>Note:</u> [a,b] models a **non-deterministic** choice within an interval.

Semantics

Environments: maps $\rho \in (\mathcal{V} \to \mathbb{I})$.

Expression Semantics: $[\![\mathcal{E}]\!]: (\mathcal{V} \to \mathbb{I}) \to \mathcal{P}(\mathbb{I})$

 \mathcal{E} maps **environments** to **sets** of numerical values:

Instruction Semantics: $\{\mathcal{I}\}: \mathcal{P}(\mathcal{V} \to \mathbb{I}) \to \mathcal{P}(\mathcal{V} \to \mathbb{I})$

A transfer function defines a relation between environments:

```
\{\!\!\{ X \leftarrow e \,\} (R) \quad \stackrel{\text{def}}{=} \quad \{ \rho [X \mapsto v] \mid \rho \in R, \ v \in [e] (\rho) \},
\{e \bowtie 0 \mid R \mid R \mid \exists v \in [e] \mid (\rho) \text{ such that } v \bowtie 0 \}.
```

Reachability Semantics

$$\begin{array}{ll} \text{Given a control-flow graph } (L,e,I) \colon & \begin{array}{ll} L & \text{program points} \\ e \in L & \text{entry point} \\ I \subseteq L \times \mathcal{I} \times L & \text{arcs} \end{array}$$

we seek to compute the **reachability semantics**, the smallest solution of:

$$\mathcal{X}_{l} = \left\{ \begin{array}{ll} (\mathcal{V} \to \mathbb{I}) & \text{if } l = e \\ \bigcup_{(l',i,l) \in I} \{ i \} (\mathcal{X}_{l'}) & \text{if } l \neq e \end{array} \right. \text{ (initial state)}$$

that gathers all possible environments at each program points.

Problem: This is **not computable** in general.

 \implies we will compute **sound over-approximations** of the \mathcal{X}_{l} ...

Abstract Interpretation

Abstract Interpretation:

General theory of sound approximations of semantics [Cousot78].

Numerical Abstract Domain:

- computer-representable set \mathcal{D}^{\sharp} of abstract values, together with:
- a concretisation: $\gamma \colon \mathcal{D}^{\sharp} \to \mathcal{P}(\mathcal{V} \to \mathbb{I})$,
- a partial order: □[‡], ⊥[‡], ⊤[‡],
- sound, effective abstract transfer functions $\{\mathcal{I}\}^{\sharp}$: $(\{\mathcal{I}\} \circ \gamma)(\mathcal{X}^{\sharp}) \subseteq (\gamma \circ \{\mathcal{I}\}^{\sharp})(\mathcal{X}^{\sharp}),$ a sound, effective abstract union \cup^{\sharp} : $\gamma(\mathcal{X}^{\sharp}) \cup \gamma(\mathcal{Y}^{\sharp}) \subseteq \gamma(\mathcal{X}^{\sharp} \cup^{\sharp} \mathcal{Y}^{\sharp})$,
- effective extrapolation operators ∇ , \triangle if \mathcal{D}^{\sharp} has infinite chains.


 \Longrightarrow we can perform a reachability analysis in $L \to \mathcal{D}^{\sharp}$ soundly.


There does not exist an all-purpose abstract domain.

We need a fine control on both the **semantic** and **algorithmic** aspects!

Existing Numerical Abstract Domains

Before this work, the two most used numerical abstract domains were:





Intervals (1976)
$$\bigwedge_i (X_i \in [a_i, b_i])$$

non relational linear cost

Polyhedra (1978)
$$\bigwedge_{j} \ (\sum_{i} \alpha_{ij} X_{i} \leq \beta_{j})$$

relational unbounded cost exponential in practice

There were other domains, but no domain "in-between" these two.

The Need for Relational Domains

Example:

```
while • (I \ge 0) {
```

To prove that V < 11 at \bullet , we need to prove the **relational** loop invariant $V + I \le 10$ at •.

Other applications:

- analysis of programs with symbolic parameters,
- modular analysis of procedures, (out of context)
- inference of non-uniform non-numerical invariants. (e.g., pointer analysis)

Weakly Relational Abstract Domains

New abstract domains introduced in this PhD:


- zone abstract domain,
- octagon abstract domain,
- zone congruence abstract domain.

The Zone Abstract Domain

Simplest of our three domains, but characteristic in its construction.

Zones enrich intervals with invariants of the form:

$$\bigwedge_{ij} (V_i - V_j \le c_{ij}) \qquad c_{ij} \in \mathbb{I}$$



The zone abstract domain features:

- a precision between the interval and polyhedron domains; relational invariants,
- a quadratic memory cost and cubic worst-case time cost.


Zones are used in the model-checking of timed automata and Petri nets but they need many new abstract operators to suit Abstract Interpretation needs.


Zone Representation

Difference Bound Matrices: (DBMs)

- lack matrix of size $(n+1) \times (n+1)$ with elements in $\overline{\mathbb{I}} \stackrel{\text{def}}{=} \mathbb{I} \cup \{+\infty\}$:
 - $\mathbf{m}_{ij} \neq +\infty$ is an upper bound for $V_i V_i$,
 - $\mathbf{m}_{ij} = +\infty$ means that $V_i V_i$ is unbounded,
 - \mathbf{m}_{i0} , \mathbf{m}_{0i} encode unary constraints: $-V_i \leq \mathbf{m}_{i0}$, $V_i \leq \mathbf{m}_{0i}$,
- $ightharpoonup \gamma(\mathbf{m}) \stackrel{\text{def}}{=} \{ (v_1, \dots, v_n) \in \mathbb{I} \mid \forall i, j, \ v_j v_i \leq \mathbf{m}_{ij}, \ v_0 = 0 \},$
- m is the adjacency matrix of a weighted directed graph: $V_i \xrightarrow{m_{ij}} V_j$.

Example:





			j	
		0	V_1	V_2
	0	$+\infty$	4	3
i	V_1	-1	$+\infty$	$+\infty$
	V_2	-1	1	$+\infty$

Order Structure

The total order on \mathbb{I} is extended to $\overline{\mathbb{I}} \stackrel{\text{def}}{=} \mathbb{I} \cup \{+\infty\}$.

The total order on $\overline{\mathbb{I}}$ is extended to a partial order on \mathfrak{D}^{\sharp} :

$$\mathbf{m} \sqsubseteq^{\sharp} \mathbf{n} \qquad \stackrel{\text{def}}{\Longrightarrow} \qquad \forall i, j, \ \mathbf{m}_{ij} \leq \mathbf{n}_{ij} \qquad \text{point-wise partial order}$$
 $\begin{bmatrix} \mathbf{m} \sqcap^{\sharp} \mathbf{n} \end{bmatrix}_{ij} \qquad \stackrel{\text{def}}{=} \qquad \min(\mathbf{m}_{ij}, \mathbf{n}_{ij}) \qquad \text{greatest lower bound}$
 $\begin{bmatrix} \mathbf{m} \sqcup^{\sharp} \mathbf{n} \end{bmatrix}_{ij} \qquad \stackrel{\text{def}}{=} \qquad +\infty \qquad \text{greatest element}$

However:

- $\mathbf{m} \sqsubseteq^{\sharp} \mathbf{n} \Longrightarrow \gamma(\mathbf{m}) \subseteq \gamma(\mathbf{n})$ but not the converse,
- $\mathbf{m} = \mathbf{n} \Longrightarrow \gamma(\mathbf{m}) = \gamma(\mathbf{n})$ but not the converse: γ is not injective!

 \implies we introduce a **normal form**.

Normal Form

Idea: Derive **implicit** constraints by summing weights on adjacent arcs:

e.g.
$$\begin{cases} V_1 - V_2 \le 3 & V_2 \\ V_2 - V_3 \le -1 & V_3 \\ V_1 - V_3 \le 4 & V_3 \end{cases} \Longrightarrow V_1 \xrightarrow{-1} V_2 \begin{cases} V_1 - V_2 \le 3 \\ V_2 - V_3 \le -1 \\ V_1 - V_3 \le 2 \end{cases}$$


Shortest-Path Closure m*: Floyd-Warshall algorithm:

$$\begin{cases} \mathbf{m}_{ij}^* & \stackrel{\text{def}}{=} & \mathbf{m}_{ij}^{n+1} \\ \mathbf{m}_{ij}^0 & \stackrel{\text{def}}{=} & \mathbf{m}_{ij} \\ \mathbf{m}_{ij}^{k+1} & \stackrel{\text{def}}{=} & \min(\mathbf{m}_{ij}^k, \ \mathbf{m}_{ik}^k + \mathbf{m}_{kj}^k) & \text{if } 0 \leq k \leq n \end{cases}$$

- derives all implicit constraints in cubic time,
- gives a normal form when $\gamma(\mathbf{m}) \neq \emptyset$: $\mathbf{m}^* = \inf_{\square \sharp} \{ \mathbf{n} \mid \gamma(\mathbf{n}) = \gamma(\mathbf{m}) \}$,
- enables emptiness testing: $\gamma(\mathbf{m}) = \emptyset \iff \exists i, \ \mathbf{m}_{ii}^* < 0$,
- enables inclusion testing: $\gamma(\mathbf{m}) \subseteq \gamma(\mathbf{n}) \iff \mathbf{m}^* \sqsubseteq^{\sharp} \mathbf{n}^*$, etc.

Operator Example: Abstract Union

The union of two zones is not always a zone:



 \sqcup^{\sharp} is a sound counterpart for \cup : $\gamma(\mathbf{m}) \cup \gamma(\mathbf{n}) \subseteq \gamma(\mathbf{m} \sqcup^{\sharp} \mathbf{n})$. But it may not output the smallest zone encompassing two zones. . . because of implicit constraints.

Solution: Define $\mathbf{m} \cup^{\sharp} \mathbf{n} \stackrel{\text{def}}{=} \mathbf{m}^* \sqcup^{\sharp} \mathbf{n}^*$:

- always the best abstraction: $\gamma(\mathbf{m} \cup^{\sharp} \mathbf{n}) = \inf_{\mathbb{C}} \{ \gamma(\mathbf{o}) \mid \gamma(\mathbf{m}), \gamma(\mathbf{n}) \subseteq \gamma(\mathbf{o}) \}$
- $\mathbf{m} \cup^{\sharp} \mathbf{n}$ is already closed: $(\mathbf{m} \cup^{\sharp} \mathbf{n})^* = \mathbf{m} \cup^{\sharp} \mathbf{n}$

The intersection \sqcap^{\sharp} behaves differently (dually). Note:

Operator Example: Abstract Assignment

We propose **several** operators with varying cost versus precision trade-offs.

Exact Assignments: Only for $X \leftarrow Y + [a, b]$, $X \leftarrow X + [a, b]$, or $X \leftarrow [a, b]$.

e.g.
$$\left[\left\{ \left[V_{j_0} \leftarrow V_{i_0} + [a,b] \right] \right\}^{\sharp}(\mathbf{m}) \right]_{ij} \stackrel{\text{def}}{=} \left\{ \begin{array}{l} -a & \text{if } i = j_0 \text{ and } j = i_0, \\ b & \text{if } i = i_0 \text{ and } j = j_0, \\ +\infty & \text{otherwise if } i = j_0 \text{ or } j = j_0, \\ \mathbf{m}_{ij}^{*} & \text{otherwise.} \end{array} \right]$$

Interval and Polyhedra Based Assignments

We can reuse existing transfer functions from other abstract domains using:

- exact conversion operators: intervals → zones → polyhedra,
- **best** conversion operators: polyhedra \rightarrow zones \rightarrow intervals. (using *)
- best abstract assignment for linear expressions using polyhedra,
 fast assignment of arbitrary expressions using intervals.

Operator Example: Abstract Assignment

Problem: for many usual assignments, e.g., $X \leftarrow Y + Z$:

- there is no exact abstraction,
- the polyhedron-based assignment is too costly, (exponential cost)
- the interval-based assignment is very imprecise. (not relational enough)

we introduce an operator with intermediate cost versus precision.

Interval Linear Form Assignments:
$$V_j \leftarrow [a_0, b_0] + \sum_k ([a_k, b_k] \times V_k)$$

For each i, derive new bounds on $V_j - V_i$ by evaluating:

$$[a_0, b_0] + \sum_{k \neq i} ([a_k, b_k] \times \pi_k(\mathcal{X}^{\sharp})) + ([a_i - 1, b_i - 1] \times \pi_i(\mathcal{X}^{\sharp}))$$

using the interval operators +, \times , and the interval projections π_k of variables V_k .

⇒ we can **infer** relational invariants for a **linear cost**.

Not optimal because we do not use the relational information in the zone.

Operator Example: Widening

The zone abstract domain has infinite strictly increasing chains!

We need a widening ∇ to compute fixpoints in finite time:

$$\left\{ \begin{array}{l} \mathcal{X}_0^\sharp \stackrel{\mathrm{def}}{=} \mathcal{Y}_0^\sharp \\ \mathcal{X}_{i+1}^\sharp \stackrel{\mathrm{def}}{=} \mathcal{X}_i^\sharp \vee \mathcal{Y}_{i+1}^\sharp \end{array} \right. \text{ should } \left[\begin{array}{l} \text{converge in } \mathbf{finite \; time} \\ \text{towards an over-approximation of } \bigcup_i \; \gamma(\mathcal{Y}_i^\sharp) \end{array} \right.$$

Example Widening: Point-wise standard interval widening:

$$(\mathbf{m} \ \nabla \ \mathbf{n})_{ij} \stackrel{\text{def}}{=} \left\{ egin{array}{ll} \mathbf{m}_{ij} & \text{if } \mathbf{m}_{ij} \geq \mathbf{n}_{ij} \\ +\infty & \text{otherwise} \end{array} \right.$$

Unstable constraints are simply thrown away.


Notes:

- Any interval widening can be extended point-wisely.
- $\mathcal{X}_{i+1}^{\sharp} \stackrel{\text{def}}{=} (\mathcal{X}_{i}^{\sharp *}) \vee \mathcal{Y}_{i}^{\sharp}$ may diverge! Bad interaction between * and \vee .

The Octagon Abstract Domain

Octagons extend zones to invariants of the form:

$$\bigwedge_{ij} (\pm V_i \pm V_j \le c_{ij}) \qquad \mathbb{I} \in \{\mathbb{Z}, \mathbb{Q}, \mathbb{R}\}$$



- It is strictly more expressive than the zone domain.
- It has the same asymptotic cost: quadratic in memory and cubic in time.
- It is sufficient to analyse our first example!


The main difficulty is to adapt the normal form algorithm.

All our exactness, best abstraction results derive from the new normal form.

The Zone Congruence Abstract Domain

Zone congruences correspond to invariants of the form:

$$\bigwedge_{ij} (V_i \equiv V_j + b_{ij} [c_{ij}]) \qquad \mathbb{I} \in \{\mathbb{Z}, \mathbb{Q}\}$$



The main difficulty is, again, to adapt the normal form algorithm.

We use a technique similar to Floyd-Warshall's algorithm in dioid algebras.

Symbolic Manipulation

Core Principles

Idea: Replace expressions with nicer ones.

Suppose that $\forall \rho \in \gamma(\mathcal{X}^{\sharp}), \ \llbracket e \rrbracket(\rho) \subseteq \llbracket e' \rrbracket(\rho), \text{ then:}$

$$(\{\!\!\{ V \leftarrow e \,\}\!\!\} \circ \gamma)(\mathcal{X}^{\sharp}) \subseteq (\gamma \circ \{\!\!\{ V \leftarrow e' \,\}\!\!\}^{\sharp})(\mathcal{X}^{\sharp})$$

 \Longrightarrow we can safely use $\{V\leftarrow e'\}^{\sharp}(\mathcal{X}^{\sharp})$ in place of $\{V\leftarrow e\}^{\sharp}(\mathcal{X}^{\sharp})$.

The same holds for tests.

Example Application:

If $X \in [0,1]$ in \mathcal{X}^{\sharp} : we replace $\{V \leftarrow X \times Y\}^{\sharp}(\mathcal{X}^{\sharp})$ with $\{V \leftarrow [0,1] \times Y\}^{\sharp}(\mathcal{X}^{\sharp})$.

Useful because our abstraction of non-linear assignments is imprecise.

Note: Interactions between numerical abstract values \mathcal{X}^{\sharp} and expression transformations. $(\neq$ performing a static program transformation before the analysis)

Linearisation

Goal: Put arbitrary expressions to the form $[a_0, b_0] + \sum_k ([a_k, b_k] \times V_k)$.

Useful when we have interval linear form assignment operators. (zones, etc.)

Interval Linear Form Manipulations: $^{\iota}$, $_{\mathrm{a}}$, $_{\mathrm{b}}$, $_{\mathrm{m}}$, $_{\iota}$

Resemble a vector space structure.

$$([a_0, b_0] + \sum_{k} [a_k, b_k] \times V_k) \cdot ([a'_0, b'_0] + \sum_{k} [a'_k, b'_k] \times V_k)$$

$$\stackrel{\text{def}}{=} (([a_0, b_0] + [a'_0, b'_0]) + \sum_{k} ([a_k, b_k] + [a'_k, b'_k]) \times V_k)$$

•
$$[a,b]$$
 • $([a'_0,b'_0] + \sum_k [a'_k,b'_k] \times V_k) \stackrel{\text{def}}{=} ([a,b] \times [a'_0,b'_0]) + \sum_k ([a,b] \times [a'_k,b'_k]) \times V_k$

•
$$\iota([a_0, b_0] + \sum_k [a_k, b_k] \times V_k, \mathcal{X}^{\sharp}) \stackrel{\text{def}}{=} [a_0, b_0] + \sum_k ([a_k, b_k] \times \pi_k(\mathcal{X}^{\sharp}))$$
 (on-the-fly intervalisation)

Linearisation (continued)

Linearising an expression: (e) defined by structural induction:

- $\bullet \ (V_i)(\mathcal{X}^{\sharp}) \stackrel{\text{def}}{=} [1,1] \times V_i$
- $\bullet (e_1 + e_2)(\mathcal{X}^{\sharp}) \stackrel{\text{def}}{=} (e_1)(\mathcal{X}^{\sharp}) \cdot (e_2)(\mathcal{X}^{\sharp})$
- $\bullet \ (e_1 \times e_2)(\mathcal{X}^\sharp) \stackrel{\mathrm{def}}{=} \ [a,b]_{\, \mathsf{b}} \ (e_2)(\mathcal{X}^\sharp) \quad \text{ when } (e_1)(\mathcal{X}^\sharp) = [a,b]$
- $(e_1 \times e_2)(\mathcal{X}^{\sharp}) \stackrel{\text{def}}{=} \iota((e_1)(\mathcal{X}^{\sharp}), \mathcal{X}^{\sharp})_{b} (e_2)(\mathcal{X}^{\sharp})$ or $(e_1 \times e_2)(\mathcal{X}^{\sharp}) \stackrel{\text{def}}{=} \iota((e_2)(\mathcal{X}^{\sharp}), \mathcal{X}^{\sharp})_{b} (e_1)(\mathcal{X}^{\sharp})$

Notes:

Non-linear multiplication: we must **choose** whether to intervalise e_1 or e_2 . example: intervalise the expression with smallest bounds

$$X \in [0,1], Y \in [-10,10] \Longrightarrow (X \times Y)(\mathcal{X}^{\sharp}) = [0,1] \times Y$$

• Linearisation provides simplification for free: $((X + Y) - X)(\mathcal{X}^{\sharp}) = Y$.

```
If X, Y \in [0, 1], interval arithmetics gives [(X + Y) - X]^{\sharp} = [-1, 2] but [Y]^{\sharp} = [0, 1].
```

Symbolic Constant Propagation

Idea: Enhance simplification-by-linearisation using expression propagation.

Example: $X \leftarrow Y + Z; U \leftarrow X - Z$

- $\{U \leftarrow X Z\}^{\sharp}$ is replaced with $\{U \leftarrow (Y + Z) Z\}^{\sharp}$,
- which is linearised into $\{U \leftarrow Y\}^{\sharp}$.

Technique: $\mathcal{X}^{\sharp} \in \mathcal{D}^{\sharp}$ is enriched with a map $S^{\sharp} \in (\mathcal{V} \to \mathcal{E})$.

• Abstract elements $<\mathcal{X}^{\sharp}, S^{\sharp}>$ now represent:

$$\gamma < \mathcal{X}^{\sharp}, S^{\sharp} > \stackrel{\text{def}}{=} \{ \rho \in \gamma(\mathcal{X}^{\sharp}) \mid \forall i, \ \rho(V_i) \in \llbracket S^{\sharp}(V_i) \rrbracket(\rho) \}.$$

- Abstract assignments $\{ X \leftarrow e \}^{\sharp} < \mathcal{X}^{\sharp}, S^{\sharp} >$
 - propagate S^{\sharp} into e to get e' and evaluate $\mathcal{X}^{\sharp\prime} \stackrel{\text{def}}{=} \{ X \leftarrow e' \}^{\sharp} (\mathcal{X}^{\sharp}), \}$
 - kill information on X in S^{\sharp} , then add X=e.

We must **choose** how far to propagate. Note:

Floating-Point Number Abstractions

IEEE 754-1985 Floating-Point Numbers:

We consider the IEEE 754-1985 norm because:

- it is widely implemented in today's hardware (Intel, Motorola),
- ♦ it is supported by the C language (and many others).

Example: 32-bit "single precision" float numbers \mathbb{F}

Exponent e Fraction b Sign

$$e_8 \cdots e_1$$

$$b_1 \cdots b_{23}$$

The set \mathbb{F} of floats is composed of:

♦ normalised numbers:
$$(-1)^s \times 2^{e-127} \times 1.b_1 \cdots b_{23}$$
 $(1 \le e \le 254)$

• denormalised numbers:
$$(-1)^s \times 2^{-126} \times \mathbf{0}.b_1 \cdots b_{23}$$
 $(e = 0, b \neq 0)$

♦ signed zeros:
$$+0$$
 and -0 (if $e = 0$, $b = 0$)

• infinities and error codes:
$$+\infty$$
, $-\infty$, NaN (if $e=255$)

IEEE 754-1985 Arithmetics

Floating-Point Expressions \mathcal{E}_f :

```
 \begin{array}{lll} \mathcal{E}_{\mathbf{f}} & ::= & [a,b] & \text{interval } a,b \in \mathbb{F} \\ & \mid & X & \text{variable } X \in \mathcal{V} \\ & \mid & \ominus \mathcal{E}_f & \text{unary operator} \\ & \mid & \mathcal{E}_f \odot \mathcal{E}_f & \text{binary operators } \odot \in \{\oplus, \otimes, \ldots\} \end{array}
```

Floating-Point Arithmetics:

Differences between floating-point and \mathbb{Q} , \mathbb{R} arithmetics:

- rounding to a representable float occurs, several types of rounding: towards $+\infty$, $-\infty$, 0 or to nearest.
- \diamond overflow: large numbers, division by 0 generate $+\infty$ or $-\infty$,
- \bullet underflow: small numbers round to +0 or -0,
- invalid operations: 0/0, $(+\infty) + (-\infty)$, etc. generate NaN.

Chosen Floating-Point Semantics

Restrict to programs that use \mathbb{F} as "approximated reals":

- Rounding and underflow are benign, but we must consider all rounding directions!
- Overflow and invalid operations result in a run-time error Ω .
- lacktriangle Error-free computations live in $\mathbb{F}' \simeq \mathbb{F} \cap \mathbb{R}$, assimilated to a finite subset of \mathbb{R} .

Partial Definition of $[e]_f$: (with rounding towards $+\infty$)

- $[e_1 \oplus e_2]_f(\rho) \stackrel{\text{def}}{=} \{ R(v_1 + v_2) \mid v_1 \in [e_1]_f(\rho), v_2 \in [e_2]_f(\rho) \},$
- etc.
- $R(x) \stackrel{\text{def}}{=} \left\{ \begin{array}{ll} \Omega & \text{if } x = \Omega \text{ or } x > 2^{127}(2 2^{-23}) \\ \min \left\{ y \in \mathbb{F}' \mid y > x \right\} & \text{otherwise} \end{array} \right.$
- etc.

Difficulties in Adapting Relational Domains

- The interval domain is easy to adapt. We simply round lower bounds toward $-\infty$ and upper bounds toward $+\infty$.
- Relational domains cannot manipulate floating-point expressions. Such domains require properties of \mathbb{Q} , \mathbb{R} not true in floating-point arithmetics!

e.g.
$$(X - Y \le c) \land (Y - Z \le d) \Longrightarrow (X - Z \le c + d)$$
 (Zone propagation)
$$(X \ominus Y \le c) \land (Y \ominus Z \le d) \not \Longrightarrow (X \ominus Z \le c \oplus d)$$
 $(10^{22} \oplus 1.0000000019 \cdot 10^{38}) \oplus (10^{22} \ominus 1.0000000019 \cdot 10^{38}) = 0$

Solution:

- $[e]_f$ is abstracted as a linear interval form on \mathbb{Q} .
- Invariant semantics will be expressed using \mathbb{Q} , +, -, ... not \mathbb{F}' , \oplus , \ominus . ⇒ We keep the same abstract domains and operators as before.

Floating-Point Linearisation

Rounding Error on Linear Forms: Its magnitude is the maximum of:

• a relative error ε of amplitude 2^{-23} , expressed as a linear form:

$$\varepsilon([a,b] + \sum_{i} [a_i,b_i] \times V_i) \stackrel{\text{def}}{=} \max(|\mathbf{a}|,|\mathbf{b}|) \times [-2^{-23},2^{-23}] + \sum_{i} (\max(|\mathbf{a_i}|,|\mathbf{b_i}|) \times [-2^{-23},2^{-23}]) \times V_i$$
 (normalised numbers)

- an absolute error $\omega \stackrel{\text{def}}{=} [-2^{-159}, 2^{-159}]$ (denormalised numbers).
- \implies We sum these two causes of rounding.

Linearisation $(e)_f$:

- $(e_1 \oplus e_2)_f(\mathcal{X}^{\sharp}) \stackrel{\text{def}}{=} (e_1)_f(\mathcal{X}^{\sharp}) \cdot (e_2)_f(\mathcal{X}^{\sharp}) \cdot \varepsilon((\mathbf{e_1})_f(\mathcal{X}^{\sharp})) \cdot \varepsilon((\mathbf{e_2})_f(\mathcal{X}^{\sharp})) \cdot \omega$
- $\bullet \quad ([a,b] \otimes e_2)_f(\mathcal{X}^\sharp) \stackrel{\text{def}}{=} ([a,b] \quad ([a,b] \mid e_2)_f(\mathcal{X}^\sharp)) \quad ([a,b] \mid e_2)_f(\mathcal{X}^\sharp)) \quad \omega$
- etc.

Application of Floating-Point Linearisation

Abstract Assignment: $V \leftarrow e$

We first evaluate e in the floating-point interval domain.

• If there is no run-time error Ω detected, then

$$\forall \rho \in \gamma(\mathcal{X}^{\sharp}), \ \llbracket e \rrbracket_{f}(\rho) \subseteq \llbracket (\!\lVert e \!\lVert)_{f}(\mathcal{X}^{\sharp}) \, \rrbracket (\rho)$$
 and we can **feed** $\{\!\lVert V \leftarrow (\!\lVert e \!\lVert)_{f}(\mathcal{X}^{\sharp}) \, \}\!\!\rceil^{\sharp}$ to an abstract domain in \mathbb{Q} .

lacktriangle If Ω is detected, we can still fall back to the interval domain.

Example: $Z \leftarrow X \ominus (0.25 \otimes X)$ is linearised as $Z \leftarrow ([0.749 \cdots, 0.750 \cdots] \times X) + (2.35 \cdots 10^{-38} \times [-1, 1])$

Allows simplification even in the interval domain.

e.g., if
$$X \in [-1,1]$$
, we get $|Z| \leq 0.750 \cdots$ instead of $|Z| \leq 1.25 \cdots$

Allows using a relational abstract domain. (zone, etc.)

Floating-Point Zones

We are now **sound**, but not very efficient: abstract operations are expressed in \mathbb{Q} .

⇒ This requires costly arbitrary precision exact rational packages!

Solution: Perform all **abstract** computations in \mathbb{F} :

- linearisation: use sound floating-point interval arithmetics,
- \diamond zone domain: upper bounds computation are rounded towards $+\infty$.

We lose some precision.

We gain much speed.

Sound algorithms in \mathbb{F} are much harder to provide for polyhedra! Note:

Floating-Point Abstractions

To sum up, the following sound approximations are made:

- **linearisation:** rounding errors are treated as non-deterministic,
- linearisation: non-linear computations are "intervalised",
- abstract domain: limits the expressiveness,
- abstract operators,
- **implementation in** \mathbb{F} : extra rounding errors.

Due to ① and ⑤, our best abstraction results no longer hold!

Despite unpredictable 5, abstract computations are stable in many cases:

- when concrete computations are naturally contracting, e.g., $X \leftarrow 0.5X + [-1, 1]$,
- when concrete computations have explicit limiters,
- specific widenings and narrowings can help.

Real-Life Application Within Astrée

Presentation of Astrée

Astrée:

- Static analyser developed at the ENS.
- Checks for run-time errors in reactive C code. (integer and float overflows, etc.)
- ♦ Aimed at **proving** automatically the correctness: 0 alarm goal.

Analysed Code Features:

A real-life example:

- primary flight control software for the Airbus A340 fly-by-wire system,
- 70,000 lines of C,
- 10,000 global variables, 5,000 of which are 32-bit floating-point,
- one very large loop executed $3.6 \cdot 10^6$ times.

Octagon Packing

Problem: There are too many variables (10,000) even for the octagon domain!

Solution: Do not relate all variables together.

- ♦ Define static **packs** of a few variables only.
- One octagon per pack, no inter-pack relationality.

Automatic Packing: Using simple syntactic criteria.

# lines	# variables	# packs	pack size
370	100	20	3.6
9 500	1 400	200	3.1
70 000	14 000	2 470	3.5
226 000	47 500	7 429	3.5
400 000	82 000	12 964	3.3

⇒ **Linear** increase in cost: the method is **scalable**.

Analysis Results

Astrée includes:

- floating-point octagons using floating-point linearisation,
- symbolic propagation in the interval domain,
- other domains working in \mathbb{R} , supplied with linearised floating-point expressions.

Analysis Comparison: AMD Opteron 248, mono-processor

	witho	ut symbo	olic	without octagon		on	with everything		
# lines	time	memory	alarms	time	memory	alarms	time	memory	alarms
370	1.8s	16 MB	0	1.7s	14 MB	0	3.1s	16 MB	0
9 500	90s	81 MB	8	75s	75 MB	8	160s	80 MB	8
70 000	2h 40mn	559 MB	391	3h 17mn	537 MB	58	1h 16mn	582 MB	0
226 000	11h 16mn	1.3 GB	141	7h 8mn	1.0 GB	165	8h 5mn	1.3 GB	1
400 000	22h 8mn	2.2 GB	282	20h 31mn	1.7 GB	804	13h 52mn	2.2 GB	0

⇒ Our work is instrumental in proving the code correctness!

Conclusion

Work Summary

To sum up we proposed:

♦ New relational abstract domains between intervals and polyhedra.

Provides new theoretical results. (properties of closure) Design and proofs of soundness, exactness, best precision of abstract operators.

♦ Generic techniques for the local enhancement of domains: Linearisation, symbolic constant propagation.

Avoid the need for more expressive domains.

Adaptation to floating-point arithmetics.

First relational domains to relate floating-point variable values.

Integration within the Astrée analyser.

Motivated new researches. (abstract operators, packing, etc.) Provided experimental results on real-life examples.

Abstract Domains Comparison

Domain	Invariants	Cost	Floating-Point
Intervals	$X \in [a, b]$	$\mathcal{O}(n)$	yes
Zones	$X - Y \le c$	$\mathcal{O}(n^2, n^3)$	yes
Octagons	$\pm X \pm Y \le c$	$\mathcal{O}(n^2,n^3)$	yes
Zone congruence	$X \equiv Y + a \ [b]$	$\mathcal{O}(n^2,n^3)$	no
Symbolic	$X = \mathcal{E}$	$\mathcal{O}(n)$	yes
Polyhedra	$\sum_{i} \alpha_{i} X_{i} \le \beta$	$\mathcal{O}(e^n)$	no

The ability to easily implement floating-point versions is crucial.

Future Work

- Extent the spectrum choice for cost vs. precision trade-offs:
 - Define new abstract domains. (e.g., between octagons and polyhedra; Octahedra, TVPI)
 - Define alternate abstract operators. (fine-grain control, widenings)
 - Local refinement techniques, non-homogeneous precision (extend packing)
 - Theoretical results on linearisation and symbolic propagation techniques. (precision guarantees)
- Consider new numerical properties, adapted to:
 - Complex numerical algorithms. (finite elements methods)
 - Non-numerical properties parametrised by a numerical domain. (e.g., non-uniform pointer analysis)
 - Parametric predicate abstractions. (complex functional properties, e.g., sorting algorithms)

Thank you for your attention!

Appendices

Octagon Analysis Example (1)

Absolute Value Computation:

```
X \leftarrow [-100, 100]
① Y \leftarrow X
② if Y \le 0 { ③ Y \leftarrow -Y ④ } else { ⑤ }
⑥ if Y \le 69 { ⑦ ··· }
```

The octagon domain can prove that, at \bigcirc , $-69 \le X \le 69$.

```
① -100 \le X \le 100
② -100 \le X \le 100 \land -100 \le Y \le 100 \land X - Y = 0 \land -200 \le X + Y \le 200
③ -100 \le X \le 0 \land -100 \le Y \le 0 \land X - Y = 0 \land -200 \le X + Y \le 0
④ -100 \le X \le 0 \land 0 \le Y \le 100 \land -200 \le X - Y \le 0 \land X + Y = 0
⑤ 0 \le X \le 100 \land 0 \le Y \le 100 \land X - Y = 0 \land 0 \le X + Y \le 200
⑥ -100 \le X \le 100 \land 0 \le Y \le 100 \land -200 \le X - Y \le 0 \land 0 \le X + Y \le 200
⑦ -69 \le X \le 69 \land 0 \le Y \le 69 \land -138 \le X - Y \le 0 \land 0 \le X + Y \le 138
```

Octagon Analysis Example (2)

Rate Limiter:

The octagon domain can prove that $|Y| \leq M$ is **stable** at ① for any $M \geq 144$.


In fact, we have $Y \in [-128, 128]...$

Note: The interval domain **cannot** prove any bound to be stable.

Interaction Between Closure and Widening

```
\begin{array}{c} X \leftarrow 0 \\ Y \leftarrow [-1,1] \\ \text{while random() } \{ \\ \text{if } X = Y \ \{ \\ \text{if random() } \{ \ Y \leftarrow X + [-1,1] \ \} \\ \text{else} \qquad \{ \ X \leftarrow Y + [-1,1] \ \} \\ \} \\ \} \end{array}
```

Non-Terminating Analysis: Using $\mathbf{m}_{i+1} \stackrel{\mathrm{def}}{=} (\mathbf{m}_i^*) \ orall \ \mathbf{n}_i$



$$\mathbf{m}_{2i} = \underbrace{\begin{array}{c} 2\mathsf{i}+1 & 0 & 2\mathsf{i} \\ 2\mathsf{i}+1 & 2\mathsf{i} & X \end{array}}_{1} \qquad \mathbf{m}_{2i+1} = \underbrace{\begin{array}{c} 2\mathsf{i}+1 & 0 & 2\mathsf{i}+2 \\ 2\mathsf{i}+1 & 2\mathsf{i}+2 & X \end{array}}_{1}$$